

Exposed valve Doc M shower pack with stainless steel concealed fixing grab rails



Product details

Warranty:	See individual products
Max load:	See individual products
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Reg 4 Certified (WRAS, NSF, Kiwa, etc.) & TMV3 approved thermostatic mixer shower with extended lever
- Extended projection shower seat to allow easier side transfer from wheelchair
- Non-corrosive concealed fixing stainless steel grab rails & hinged support rails
- Simple one box solution

Finish options

Powder Coated



**DB**  
Dark Blue (RAL 5011)



**DG**  
Dark Grey (RAL 7016)



**GY**  
Grey (RAL 7005)



**WH**  
White (RAL 9010)

Mechanical



**SP**  
Polished Stainless Steel



**SS**  
Satin Stainless Steel

Product description

Product code

Exposed valve Doc M shower pack, stainless steel, concealed fixings

230404/\*\*

Replace \*\* with 2-character code for chosen finish (Powder Coated / Mechanical).  
e.g., 230404/DB


## Pack contents

- 1 x Doc M shower seat
- 1 x Exposed TMV3 Doc M shower valve (*always Chrome*)
- 1 x Exposed Doc M shower diverter (*always Chrome*)
- 1 x Antivandal overhead shower head (*always Chrome*)
- 1 x Shower head and hose (*always Chrome*)
- 3 x 600mm Stainless steel grab rails with concealed fixings
- 1 x 450mm Stainless steel grab rail with concealed fixings
- 1 x 900mm Stainless steel grab rail with concealed fixings (*always SP finish*)\*
- 2 x 800mm Stainless steel hinged support rails
- 1 x 1200mm x 1200mm Stainless steel shower curtain rail (*always WH finish*)\*
- 2 x Weighted shower curtains
- 1 x Sliding Shower head bracket (*always Chrome*)
- 1 x Single robe hook

\*Refer to pack items for details of finishes

Note: The exposed pipe for the overhead shower is NOT included in pack.

## Dimensions (mm)



Exposed TMV3 shower valve and diverter kit



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Single sequential control for both temperature and flow
- Automatic shut off in the event of hot or cold water supply failure
- Brass construction
- TMV3 Approved & Reg 4 Certified (WRAS, NSF, Kiwa, etc.)
- The supplied pipes can be turned through 90° to allow external pipework
- Main valve inlet connections can be turned through 90° to allow external pipework

Finish options



Product description

Exposed TMV3 shower valve and diverter kit

Product code

COM-NYTS3650TOELCKIT

Pack contents

- 1 x Inline diverter
- 1 x Exposed valve
- 1 x Fixed shower head


Flo rates (l/min)

System pressure (bar)	0.2	0.5	1	2	3	5
Open outlet (mixed)	3.9	6.3	6	7	7.5	8

Specification

- Maximum hot water supply temperature: 65 degrees Celsius
- Maximum static pressure: 10 bar
- Minimum dynamic pressure: 0.2 bar MIN, 5 bar MAX
- Connection inlet: 15mm compression
- Connection outlet: G 1/2"

Dimensions (mm)



**NOTE: MAIN VALVE INLET CONNECTIONS CAN TURN THROUGH 90 DEGREES FOR PIPEWORK RUNNING EXTERNAL TO THE WALL.**

Mobility Showers Ltd may occasionally need to change specification of products and/or kit contents and reserves the right to do so. We strive to keep our documentation up to date; however, we cannot guarantee this. We accept no liability for any information given on this data sheet.

Wall mounted padded Doc M shower seat



Product details

Warranty: 5 years

Max load: 250 kg

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Extended projection to allow easier side transfer from wheelchair
- Aluminium and stainless frame
- Durable clip on plastic seat
- Adjustable height
- Drainage holes for easy-drain
- Back support for optimum comfort
- Closed cell polyurethane pad for maximum hygiene and comfort
- Foldable design

Finish options



**DB**

(Dark Blue RAL 5011)



**GY**

(Grey RAL 7005)

Product description





Doc M shower seat, 650mm projection, polished frame

Product code

SB-085/\*\*

Replace \*\* with 2-character short code for chosen finish.  
e.g., SB-085/DB

Dimensions (mm)



Stainless steel lift and lock hinged support rail



Product details

Warranty: 5 years

Max load: 135 kg

Doc M compliant: Yes (800mm only)

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Lift and lock folding mechanism
- Non-corrosive stainless steel construction
- Toilet roll holder (optional)

Finish options

Powder Coated



**DB**  
Dark Blue (RAL 5013)



**GY**  
Grey (RAL 7006)



**DG**  
Dark Grey (RAL 7016)



**WH**  
White (RAL 9016)

Mechanical



**SP**  
Polished Stainless Steel



**SS**  
Satin Stainless Steel

Product description

Product code

Hinged lift and lock support rail, stainless steel, 650mm

211865/\*\*

Hinged lift and lock support rail, stainless steel, 800mm


211880/\*\*

Replace \*\* with 2-character code for chosen finish (Powder Coated / Mechanical).  
e.g., 211865/DB



# Mobility Showers

## Dimensions (mm)



PRODUCT CODE	211865/**	211880/**
DIM 'A'	650	800

Stainless steel grab rail with concealed fixings, 35mm diameter tube



#### Product details

Warranty: 5 Years

Max load: 185 kg

Doc M compliant: Yes

Suitable for wet areas: Yes

#### Features

- Stainless steel construction
- Durable powder coated finish
- Concealed fixing

#### Finish options

Powder coated



**WH**  
White (RAL 9010)



**DB**  
Dark Blue (RAL 5011)



**DG**  
Dark Grey (RAL 7016)



**GY**  
Grey (RAL 7006)

#### Product description

Grab rail, stainless steel, concealed fixings, 35mm diameter, 300mm

210130/\*\*

Grab rail, stainless steel, concealed fixings, 35mm diameter, 450mm

210145/\*\*

Grab rail, stainless steel, concealed fixings, 35mm diameter, 600mm

210160/\*\*

Grab rail, stainless steel, concealed fixings, 35mm diameter, 900mm


210190/\*\*

Replace \*\* with 2-character short code for chosen finish.  
e.g., 210130/WH



# Mobility Showers

## Dimensions (mm)



PRODUCT CODE	210130/**	210145/**	210160/**	210190/**
DIM 'A'	300	450	600	900

Single aluminium robe hook



Product details

Warranty: 2 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Aluminium construction
- Colour options available for visually impaired
- Complies with Part M of the Building Regulations

Finish options

Powder Coated



**DB**

Dark Blue (RAL 5013)



**DG**

Dark Grey (RAL 7016)



**GY**

Grey (RAL 7005)



**MB**

Matt Black (RAL 9005)



**WH**

White (RAL 9010)

Product description


Single robe hook, aluminium

Product code

141701/\*\*

Replace \*\* with 2-character short code for chosen finish (Powder Coated).  
e.g., 141701/DB

Dimensions (mm)



Sliding shower head bracket



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Large button for easy operation for users with limited dexterity
- Suitable for use with 32mm diameter rails

Finish options



Product description

Sliding shower head bracket, for 32mm rail, chrome polished



Product code

250401



# Mobility Showers

## Dimensions (mm)



Shower handset



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Robust plastic construction
- ½" BSP threaded connection
- 3 stage flow style adjustment paddle

Finish options




Product description

Shower handset, chrome plated

Product code

COM-BO30009CP

Dimensions (mm)



Stainless steel L-shaped shower curtain rail, 1200mm x 1200mm



### Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

### Features

- Tubular stainless steel construction
- Supplied with ceiling stay
- Concealed wall fixings
- Can be cut to measure on site if necessary

### Finish options

#### Powder Coated



#### Mechanical



### Product description


Shower curtain rail, stainless steel, L-shaped, 1200mm x 1200mm

### Product code

250502/\*\*

Replace \*\* with 2-character short code for chosen finish (Powder Coated / Mechanical).  
e.g., 250502/WH

## Dimensions (mm)



Weighted polyester shower curtain



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Easy clean polyester material
- Weighted curtain
- Eyelet hanging
- Durable

Product description

Product code

Weighted shower curtain, polyester, 1800mm x 2000mm, white (RAL 9016)

250603-WH



# Mobility Showers

## Dimensions (mm)

